

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS									
REV	DESCRIPTION	DATE	INITIAL	APPROVED					
1	REDRAWN FROM TATTERED DRAWINGS3 CH'D HOLE WAS Ø.090085 IS Ø.11010505 REMOVED -13 CHAIN FROM WELDMENT9 ADDED Ø.094 HOLE FOR -1113 CH'D ATTACHMENT METHOD WAS WELDED IS HOLE WITH RING -1115 WAS #2 DRIVE SCREW IS #4 DRIVE SCREW.	9/9/2013	CFS	GE					






									'
ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	TITLE
			-3	1	WRENCH	4140	Ø6-1/2 X 1-1/2	2	DWG NO.
	Χ		-5	3	PIN ASSY			3	MAT'L
	1		-7		PIN	01	Ø1/4 X 2-3/4	4	UNI
	1		-9		HANDLE	01	Ø1/4 X 3	5	.xxx ±
		B/O	-11	3	SPLIT RING	STEEL	Ø1/2 MCMASTER-CARR #86805T32	1	] .xx ±
		B/O	-13	3	SASH CHAIN	BRASS	#1/10 X 7in. MCASTER-CARR #3608T22	1	1. BREAK OR .015
		B/O	-15	3	#4 DRIVE SCREW	STEEL	1/4 MCMASTER-CARR #90081A106	1	2. DIMENS
	ASSY -5								SCALE

## ® RED BARN MACHINE


WRENCH ASSY - SLEEVE NUT


DWG NO.		REV 1						
MAT'L		DRAWN BY:	SMITH					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES  .XXX ± .005 FRACTIONS ± 1/32  .XX ± .01 ANGLES ±.5°  .X ± .1 SPEC  1. BREAK ALL SHARP EDGES .015 x 45°								
OR .015R 2. DIMENSIONAL LIMITS AF	DI V AETED	USED ON MODEL						
PLATING	TELAFIER	214B, 214ST						
SCALE 1:3	DATE 9/	9/2013	SHEET 1	1 OF 5				



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS								
REV	DESCRIPTION	DATE	INITIAL	APPROVED				
1	-05 REMOVED -13 CHAIN FROM WELDMENT.	9/9/2013	CFS	GE				





(-5)

PIN ASSY

